

uvex

**SAFETY
EYEWEAR**

29.06.2021

Product Datasheet model uvex pheos delta 9092 081



**UVEX ARBEITSSCHUTZ GMBH, Würzburger Str. 181-189,
D-90766 Fürth**

1. Product Characteristics

- **sporty, timeless safety spectacle; frameless design allowing for an extra-large field of vision**
- ergonomically shaped side arms provide a comfortable, secure fit without pressure
- nose bridge designed for all-day comfort
- robust polycarbonate lens with antifog coating on both sides
- UV400 – 100 % protection against dangerous UVA and UVB radiation up to 400 nm
- metal-free

2. Technical Details Body

Temple

Material	POM
Colour	light grey

Marking

Manufacturer 's ID code	W
Applicable EN norm	166
Impact resistance	F (45 m/s)
Conformity symbol	CE

3. Technical Details Lens

Material	PC
Thickness	2,1 mm at PD
Coating	both sides antifog
Colour	clear
UV protection	UV400

Marking


Filter	2C-1,2 (EN 170)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	F (45 m/s)
Conformity symbol	CE
Factory symbol	

4. Logistical Information


Product

Weight 31g

Dimensions
(L x W x B)
in approx.
mm



162 x 145 x 49

	Packing unit 1	Packing unit 2
EAN Code	4031101925516	4031101925516
Quantity in pcs.	1	250
Dimensions (L x W x H) in approx. mm	 picture only for reference	
	60 x 145 x 60	600 x 400 x 400
Net weight in approx. g	31	7,750
Gross weight in approx. g	38	10,400
Country of Origin	China	

5. Miscellaneous

Standards	EN 166 + EN 170
PPE Category	Category II